

HATTIE MAE WHITE EDUCATIONAL SUPPORT CENTER 4400 WEST 18th STREET • HOUSTON, TEXAS 77092-8501

Procurement Services

August 8, 2014

ADDENDUM No 1

RFP Project No. 14-07-06

RFP Project Title: Purchase of Electrical Parts and Supplies,

Proposal Conference Date: August 5, 2014 Time: 10:30 AM

The following are changes and additions to the RFP.

All samples will be delivered to HISD Warehouse located at 228 McCarty Road, Houston Texas 77029, Attn; Gary Hogg.

The samples shall have the supplier's name, project number and identify what item is being requested to be reviewed. All items become the property of HISD. HISD is requesting no more than two of any item if submitted.

All items shall be priced out in either case price as requested or ea price even if the item comes in a box. The supplier shall tell HISD how their item is contained ea/box and how many.

I.e. 25 per box.

Wire is by the roll

Replace with the following: The warehouse price sheet with the following and submit with the bid proposal. You will still use the non-inventory price sheets out of the bid proposal.



HATTIE MAE WHITE EDUCATIONAL SUPPORT CENTER 4400 WEST 18th STREET • HOUSTON, TEXAS 77092-8501

Warehouse Pricing

The following items represent items that will be stocked at the warehouse located 228 McCarty Road, Houston, TX. This is not all purchases and the supplier will provide a % discount off manufacturers list after their section for any parts not covered.

Description:	Approved Manufact ured	Catalog Number	Suppliers Manufacturer/P art number if different	Quantity	Unit Price
BALLAST					
Electronic, 120/277V, 2-T8 Lamp, Program Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	IOP2P32SC-35I GE232-MVPS- H		20 Boxes /10 a Case	
Electronic, 120/277V, 4 – T8 Lamp, Program Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	IOP4P32SC-35I GE432-MVPS- H		20 Boxes /10 a Case	
Electronic, 120/277V, 2-T8 Lamp Instant Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	ICN2P32N-35I GE232-MAX-H- ULTA		20 Boxes /10 a Case	
Electronic, 120/277V, 4-T8 Lamp, Instant Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	ICN4P32N-35I GE432-MAX-H- ULTA		20 Boxes /10 a Case	
Electronic, 120/277V, Emergency Ni-cad Battery pack pilot light/test switch, Operates 90 minutes THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Bodine	B50RCT		5 Boxes /10 a Case	
Electronic, 120/277V, Dimming 4-T8 Lamp Program Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	IZT4S32 GE432-MVPS- H-03		5 Boxes /10 a Case	
Electronic, 120/277V, 2 – T5/HO Lamp Program Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	ICN2S54A)SC3 5M GE254PS-347- T		5 Boxes /10 a Case	
Electronic, 120/277V, 4 – T5/HO Lamp Program Start, THD 10% or less, Ballast Factor 0.88, Power Factor 98%.	Advance G.E.	ICN4S54AOSC- 35M GE454PS-347- T		5 Boxes /10 a Case	
FLUORESCENT Bulbs, F32 T8/841, 48" Med. Bi-pin EC2850 Means Lumens, CRI=85%, 4100K,	Phillips GE	F32T8XLSPX41 HLEC		10 Boxes/30 a Case	



25/Case				
Bulbs, F28 T8/841, 48" Med. Bi-pin EC2850 Means Lumens, CRI=85%, 4100K , 25/Case	Phillips GE	F28T8-841 Extended Life	10 Boxes/30 a Case	
Bulbs, F25 T8/841, 48" Med. Bi-pin EC2850 Means Lumens, CRI=85%, 4100K, 25/Case	Phillips GE	F25T8/SP41/EC O	10 Boxes/30 a Case	
Bulbs, T5HO/841, 48" Med. Bi-pin EC2850 Means Lumens, CRI=85%, 4100K , 25/Case	Phillips GE	F54T5/XL/841E CO	5 Boxes/30 a Case	
SOCKETS, FLUORESCENT				
Lampholder Socket,	Hubbell P&S	RL320 2509W & 2510W	100 Each	
CIRCUIT BREAKER				
20 Amp, 1 pole, 250 Volt	GE, EATON, Siemens, Square D	GE-B120 BR120	30 Each	
30Amp, 1pole, 250 Volt	GE, EATON, Siemens, Square D	GE-B130 BR130	30 Each	
20Amp, 2 pole, 250 Volt	GE, EATON, Siemens, Square D	GE-B220 BR220	25 Each	
30Amp, 2 pole, 250 Volt	GE, EATON, Siemens, Square D	GE-B230 BR230	25 Each	
40Amp, 2 pole, 250 Volt	GE, EATON, Siemens, Square D	GE-B240 BR240	25 Each	

Description:	Approved Manufact ured	Catalog Number	Quantity	Unit Price
CON'T CIRCUIT BREAKER				
20 Amp, 3 pole, 250 Volt	GE, EATON, Siemens, Square D	GE-B320 BR320	15 Each	
30Amp, 3 pole, 250 Volt	GÉ, EATON,	GE-B330 BR330	15 Each	



	Siemens, Square D			
RECEPTACLE				
Duplex Outlet, 20 Amp, 125 Volt, Ivory/White	Cooper P&S	8300CV; 8300HI; 8300ILI	100 Each	
Single Outlet, 20 Amp, 250 Volt, Ivory	Cooper P&S	58511	100 Each	
GFCI, Outlet 20 Amp, 125 Volt	Cooper P&S	GF-8300I	50 Each	
Single Outlet, 30 Amp, 250 Volt	Cooper P&S	53611	50 Each	
SWITCHES				
Single-Pole 20Amp, 125 /277 Volt Dual Voltage	Cooper P&S	1201-l; 1221-2l 20AC1-l	100 Each	
Three-Way, 20 Amp, 125/277 Volt Dual Voltage	Cooper P&S	1203-I; 1223-2I 20AC3-I	100 Each	
Four-Way, 20 Amp, 125/277 Volt Dual Voltage	Cooper P&S	1204-I; 1224-2I 20AC4-I	50 Each	
Photo Electric, 208/277 Volt, 60HZ, w/ threaded 1/2" IPS mount, 1800 watt- precision #t-15	Intermatic Precision	K4223C T169	25 Each	
Photo Electric, 120 Volt, 60HZ, w/ threaded 1/2" IPS mount, 1800 watt-precision #t-15	Intermatic Precision	K4221C T168	25 Each	

Description:	Approved Manufact ured	Catalog Number	Quantity	Unit Price
WIRES				
Stranded, 12 THHN/THWN – Black, Copper 98%	Southwire	THWN 12STR/ Blk500	3 Roll	
Stranded, 12 THHN/THWN - Red, Copper 98%	Southwire	THWN 12STR/RD500	3 Roll	
Stranded, 12 THHN/THWN – Blue, Copper 98%	Southwire	THWN 12 STR Blue THWN 12STR/BL500	3 Roll	
Stranded, 12 THHN/THWN – White, Copper 98%	Southwire	THWN 12STR/WH500	3 Roll	
Stranded, 12 THHN/THWN – Green, Copper 98%	Southwire	THWN 12STR/GN500	3 Roll	
Stranded, 12 THHN/THWN – Brown, Copper 98%	Southwire	THWN 12STR/BR500	3 Roll	
Stranded, 12 THHN/THWN – Purple, Copper 98%	Southwire	THWN 12STR/PR500	3 Roll	
Stranded, 12 THHN/THWN		THWN	3 Roll	



- Yellow, Copper 98%	Southwire	12STR/YW500	
Stranded, 12 THHN/THWN		THWN	3 Roll
– Gray, Copper 98%	Southwire	12STR/GY500	3 Kuli
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
– Black, Copper 98%	Southwire	BLK500	3 Kuli
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
Red, Copper 98%	Southwire	RD500	3 Roll
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
– Blue, Copper 98%	Southwire	BL500	3 Koli
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
– White, Copper 98%	Southwire	WH500	3 Koli
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
– Green, Copper 98%	Southwire	GN500	O NOII
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
Brown, Copper 98%	Southwire	BR500	3 ((0))
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
– Purple, Copper 98%	Southwire	PR500	O NOII
Stranded, 10 THHN/THWN		THWN 10STR/	3 Roll
Yellow, Copper 98%	Southwire	YW500	3 1(0)
Stranded, 10 THHN/THWN		THWN 10STR/	
- Gray, Copper 98%	Southwire	GY500	3 Roll
	Codinwiic		
Stranded, 8 THHN/THWN	Southwire	THWN 8	2 Roll
– Black, Copper 98%	Codinwiic	STR/BLK500	2 1011
Stranded, 6 THHN/THWN	Southwire	THWN 6	2 Roll
– Black, Copper 98%	2041111110	STR/BLK500	2 1011
Stranded,4THHN/THWN -	Southwire	THHN 4	2 Roll
Black, Copper 98%	2040	STR/BLK500	2 1011

Description:	Approved Manufactured	Catalog Number	Quantity	Unit Price
BULBS				
Compact, Fluorescent BIAX, 13W, 120Volt, 2 Pin	Phillips GE	F13BX/827	30 Each	
Compact, Fluorescent Spiral, 23W, 120 Volt,	Phillips GE	FLE23H534/2/4/ 827	24 Each	
Compact, Fluorescent, 13W, 4 Pin	Phillips GE	P-T42W/841/4P	24 Each	
FUSES				
20Amp, Time Delay Cartridge, 250 Volt	Bussmann/Edi son	LPNRK20	10 Boxes/10 a Case	
30Amp, Time Delay Cartridge, 250 Volt	Bussmann/Edi son	LPNRK30	10 Boxes/10 a Case	
40Amp, Time Delay Cartridge, 250 Volt	Bussmann/Edi son	LPNRK40	10 Boxes/10 a Case	
	Bussmann/Edi	LPNRK60	10 Boxes/10 a Case	



60Amp, Time Delay Cartridge, 250 Volt	son			
20Amp, Time Delay Cartridge, 600 Volt	Bussmann/Edi son	LPSRK20	10 Boxes/10 a Case	
30Amp, Time Delay Cartridge, 600 Volt	Bussmann/Edi son	LPSRK30	10 Boxes/10 a Case	

Description:	Approved Manufactured	Catalog Number	Quantity	Unit Price
40Amp, Time Delay Cartridge, 600 Volt	Bussmann/Edi son	LPSRK40	2 Box/10	
60Amp, Time Delay Cartridge, 600 Volt	Bussmann/Edi son	LPSRK60	2 Box/10	
PLATES				
Cover, Blank Metal 1 Gang	P&S	SS1	3 Box/20	
Cover, Blank Handy Box 2 x 4 Single Gang	Cooper Crouse	TP608	1 Box/100	
Cover, Duplex Receptacle, 2 Gang, Ivory	P&S	TP82I	3 Box/20	
Cover, Duplex Receptacle, 1 Gang, Ivory	P&S	TP8I	3 Box/25	
Cover, Switch, 2 Gang, Ivory	P&S	TP2I	3 Box/20	
Cover, Switch, 1 Gang, Ivory	P&S	TP1I	3 Box/25	
Cover, 4" for Octagon w/ 1/2 KO, 2 Gang,	Cooper Crouse	TP328	3 Box50	
Cover, 4" for Square w/ 1/2 KO, 2 Gang,	Cooper Crouse	TP478	3 Box/50	
Cover, Duplex Receptacle, 2 Gang, Steel	P&S	SS82	3 Box/20	
Cover, Duplex Receptacle, 1 Gang, Steel	P&S	SS8	3 Box/25	
WIRE NUTS				
Connector, #72B, Blue	Buchanan/Idea I	WT21	5 Bx/100	



Description:	Approved Manufactured	Catalog Number	Quantity	Unit Price
Connector, #73B, Orange	Buchanan/Idea I	WT31	5 Bx/100	
Connector, #74B, Yellow	Buchanan/Idea I	WT41	5 Bx/100	
Connector, #76B, Red	Buchanan/Idea I	WT61	5 Bx/100	
Connector, Orange/Blue	3M	DBBULK	1 Box/500	
Connector, Yellow/Red	3M	YRBULK	1 Box/500	
4 Port Disconnect Yellow	Ideal	301034J	1 Box/200	
Disconnect Orange	Ideal	303821	1 Box/15	
ELECTRICAL TAPE				
Tape, 3M, Black, 3/4 x 66 Ft.	ЗМ	33	10 Each	
Tape, 3M, Red, 3/4 x 66 Ft.	ЗМ	35RD	10 Each	
Tape, 3M, Blue, 3/4 x 66 Ft.	3M	35BL	10 Each	
Tape, 3M, White, 3/4 x 66 Ft.	3M	35WH	10 Each	
Tape, 3M, Green, 3/4 x 66 Ft.	3M	35GN	10 Each	
Tape, 3M, Brown, 3/4 x 66 Ft.	ЗМ	35BR	10 Each	
Tape, 3M, Purple, 3/4 x 66 Ft.	ЗМ	35PR	10 Each	
Tape, 3M, Yellow, 3/4 x 66 Ft.	ЗМ	35YE	10 Each	
Tape, 3M, Gray, 3/4 x 66 Ft.	ЗМ	35GY	10 Each	
Tape, 3M, Orange, 3/4 x 66 Ft.	ЗМ	35OR	10 Each	



PACKAGE.

Manufaturers catalog

Company Authorized Signature

HATTIE MAE WHITE EDUCATIONAL SUPPORT CENTER 4400 WEST 18th STREET • HOUSTON, TEXAS 77092-8501

Warehouse items and non-stock items

% Discount of manufacturers list price

	ne bid remains the same dendum from the project t accepted.			
		_		
Office of Procuren				