

NUTREN JUNIOR® FIBER Complete Nutrition vs. PediaSure® Enteral Formula with Fiber and FOS

Per serving

PRODUCT	NUTREN JUNIOR [®] FIBER	PediaSure [®] Enteral Formula with Fiber and FOS	Nestlé Benefits
Application	Complete liquid nutrition specifically formulated to meet the nutritional needs of children ages 1-10 that require an intact protein diet.	For current information, please refer to the most recent product label.	NUTREN JUNIOR® FIBER formula is appropriate for tube or oral use.
Serving Size	250 mL	237 mL	More volume results in 5% more volume per case of 24 cans.
Form	Liquid	Liquid	Both are similar in form and caloric
Calories per mL	1.0	1.0	density
<u>Protein Profile</u> Per serving			Higher whey protein content provides higher amounts of cysteine for antioxidant defense
Total grams	7.5	7.1	potential. ¹ • Whey protein has a higher biologic
% kcal	12	12	value and greater net protein utilization than casein. ²
Protein Source	Milk Protein Concentrate, Whey Protein Concentrate	Milk Protein Concentrate	Whey protein is associated with improved gastric emptying as compared to casein or soy. ³
Whey: Casein Ratio	50:50	18:82	compared to educin or soy.
<u>Carbohydrate Profile</u> Per serving			Lower carbohydrate content may help facilitate glycemic control and minimize risk of hyperglycemia.

Not a substitute for clinical judgment as not all clinical considerations are listed. For specific nutritional information, please consult the manufacturer. Nutren Junior® is a trademark of Société des Produits Nestlé S.A., Vevey, Switzerland. ©2008 Nestlé HealthCare Nutrition, Inc. All rights reserved



PRODUCT	NUTREN JUNIOR [®] FIBER	PediaSure [®] Enteral Formula with Fiber and FOS	Nestlé Benefits
Total grams	27.5	32.7	
% kcal	44	53	
Fat Profile Per serving			NUTREN JUNIOR® FIBER formula provides higher amounts of MCT, which provides a readily absorbable
Total grams	12.4	9.4	fat source that is directly absorbed into portal circulation.
% kcal	44	35	A lower ratio of n6:n3 fatty acids provides a less inflammatory fat
MCT:LCT	21:79	15:85	profile.
n6:n3	5.3:1	9.5:1	
<u>Dietary Fiber Profile</u> Per serving			Prebio ^{1™} is a soluble prebiotic fiber containing both fructooligosaccharides (FOS) and
Total grams	1.5	1.9	inulin, designed to support beneficial bacteria throughout the
Source	Prebio ^{1™} , pea fiber	FOS, oat fiber, soy fiber, gum Arabic	proximal and distal colon. ^{4,5}
Insoluble (g) Soluble (g)	0.95 0.55	1.2 0.7	
mL to meet 100% RDA/DRI (ages 1-13)	1000 (ages 1-8) 1563 (ages 9-13)	1000 (ages 1-8) 1500 (ages 9-13)	NUTREN JUNIOR® FIBER formula meets or exceeds the DRI for children in a similar volume.
Osmolality	350	345	Similar isotonic osmolality

Not a substitute for clinical judgment as not all clinical considerations are listed. For specific nutritional information, please consult the manufacturer. Nutren Junior® is a trademark of Société des Produits Nestlé S.A., Vevey, Switzerland. ©2008 Nestlé HealthCare Nutrition, Inc. All rights reserved



Summary:

NUTREN JUNIOR® FIBER formula offers:

- ✓ An increased percentage of whey protein designed to:
 - Help facilitate gastric emptying;
 - Provide a higher biologic value protein;
 - Assist antioxidant defense with the highest concentration of cysteine.
- ✓ Soluble and insoluble fiber for bowel management and gut health.
- ✓ Prebio^{1™}, a proprietary blend of fructooligosaccharides and inulin, designed to support beneficial bacteria throughout the proximal and distal colon.
- ✓ Lower ratio of pro-inflammatory n6 to anti-inflammatory n3 fatty acids.
- ✓ Ability to meet NAS/NRC RDA in 1000mL for ages 1-10.

For more information about NUTREN JUNIOR® FIBER formula or other Nestlé HealthCare Nutrition products, please contact InfoLink™, at 1-800-422-ASK2 (2752).

REFERENCES

- Vasundhara T, et al. Gastric emptying using three different formula in infants with gastroesophageal reflux. J Pediatr Gastroenterology and Nutrition. 15:297-031. 1992.
- 2. National Dairy Council. Newer knowledge of milk and other fluid dairy products. Rosemont, IL,1998.
- 3. Fried MD, Khoshoo V, et al. Decrease in gastric emptying time and episodes of regurgitation in children with spastic quadriplegia fed a whey-based formula. *J Pediatrics*. 120(4): 569-572, 1992.
- 4. Silk DBA. Fiber and enteral nutrition. Clin Nutr. 1993;12:S106-S113.
- 5. Roberfroid MD. Health benefits of non-digestible oligosaccharides. Adv Exp Med Biol. 1997;427:211-219.

Not a substitute for clinical judgment as not all clinical considerations are listed. For specific nutritional information, please consult the manufacturer. Nutren Junior® is a trademark of Société des Produits Nestlé S.A., Vevey, Switzerland. ©2008 Nestlé HealthCare Nutrition, Inc. All rights reserved